EXHAUST EMISSION DATA SHEET

MQ POWER GENERATOR SET

Model: DCA220SSJU4F2



The engine used in this generator set is certified to comply with United States EPA Tier 4 and CARB Mobile Off-Highway emission regulations.

ENGINE DAT	ΤΑ							
Manufacturer:	John Deere			Bore:	4.17	in.	(106	mm)
Model: 6	6068HFG06	Stroke:	5.0	in.	(127	mm)		
Туре:	4- Cycle, in-line, 6 Cylinde	Displacement	: 415	cid	(6.8	liters)		
	Turbocharger Air Cooler, I ECM, EGR, DOC, SCR	Compression Ratio: 17.2:1						
PERFORMAN	ICE DATA							
SAE Gross HP	@ 1800 RPM (60 Hz)	32	3					
Rated Load Fue	l Consumption (gal/Hr)	12	.0					
Rated Load Exh	aust Gas Flow (cfm)	11	19					
Rated Load Exh	aust Gas Temperature	(⁰F) 75	2					
United States EPA - Mobile Off-Highway Tier 4 Limits - $174 \le - \le 751$ BHP								
Criteri	ia Pollutant	Emis	sion Requirements	Certifie	ed Eng	ine E	missio	ons
NOx (Oxides of	Nitrogen as NO2)	0.298	gr/bhp-hr	0.044	gr/b	hp-hr		
HC (Total Unbur	rned Hydrocarbons)	N/A	gr/bhp-hr	N/A	gr/b	hp-hr		
NOx + HC (Com	nbined)	N/A	gr/bhp-hr	N/A	gr/b	hp-hr		
CO (Carbon Mo	onoxide)	2.609	gr/bhp-hr	0.007	gr/b	hp-hr		
PM (Particulate	Matter)	0.014	gr/bhp-hr	0.014	gr/b	hp-hr		
NMHC (Non-Met	hane Hydrocarbons)	0.141	gr/bhp-hr	0.014	gr/b	hp-hr		
NMHC + NOx		N/A	gr/bhp-hr	N/A	gr/bl	np-hr		
EPA Engine Far	nily: JJD	XL06.831	2					
EPA Certificate	of Conformance: JJD	XL06.831	2-025					
ARB Executive	RB Executive Order: U-R-004-0558							
Effective Date:	ffective Date: Model Year 2018							
	peration with excessive limits, or with imprope			-				

STATES - LONEDY	2018 MC CERTIFICATE	ENTAL PROTECTION AGENCY DEL YEAR DF CONFORMITY LEAN AIR ACT			OFFICE OF TRANSPORTATION AND AIR QUALITY ANN ARBOR, MICHIGAN 48105 I Issue Date: 10/04/2017 Er, Division Director ance Division		
Certificate Issued To: Deer (U.S. 1 Certificate Number: JJDXI	Effective Date:10/04/2017Expiration Date:12/31/2018						
Model Year: 2018 Manufacturer Type: Origina			le/Stationary Indicator: Both sions Power Category: 130<=kV	W<=560			

	88
Engine Family: JJDXL06.8312	Fuel Type: Diesel
	After Treatment Devices
	Reduction

Non-after Treatment Devices: Electronic Control, Electronic/Electric EGR - Cooled, Non-standard Non-After Treatment Device Installed

Diesel Oxidation Catalyst, Ammonia Slip Catalyst, Selective Catalytic

Pursuant to Section 111 and Section 213 of the Clean Air Act (42 U.S.C. sections 7411 and 7547) and 40 CFR Parts 60 and 1039, and subject to the terms and conditions prescribed in those provisions, this certificate of conformity is hereby issued with respect to the test engines which have been found to conform to applicable requirements and which represent the following engines, by engine family, more fully described in the documentation required by 40 CFR Parts 60 and 1039 and produced in the stated model year.

This certificate of conformity covers only those new compression-ignition engines which conform in all material respects to the design specifications that applied to those engines described in the documentation required by 40 CFR Parts 60 and 1039 and which are produced during the model year stated on this certificate of the said manufacturer, as defined in 40 CFR Parts 60 and 1039.

It is a term of this certificate that the manufacturer shall consent to all inspections described in 40 CFR 1068 and authorized in a warrant or court order. Failure to comply with the requirements of such a warrant or court order may lead to revocation or suspension of this certificate for reasons specified in 40 CFR Parts 60 and 1039. It is also a term of this certificate that this certificate may be revoked or suspended or rendered void *ab initio* for other reasons specified in 40 CFR Parts 60 and 1039.

AL PRO

This certificate does not cover engines sold, offered for sale, or introduced, or delivered for introduction, into commerce in the U.S. prior to the effective date of the certificate.

The actual engine power may lie outside the limits of the Emissions Power Category shown above. See the certificate application for details.

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2018	JJDXL06.8312	6.8	Diesel	8000
	FEATURES & EMISSION		TYPICAL EQUIPMENT	
Injection Recirc	r Cooler, Oxidation Cata n, Electronic Control Mo ulation, Turbocharger, S ction-Urea, Ammonia O	dule, Exhaust Gas	Pump, Compressor, Generato Equipmer	

The engine models and codes are attached.

California Environmental Protection Agency

Air Resources Board

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION			E	EXHAUST (g/kw-ł	OPACITY (%)				
	STANDARD CATEGORY		NMHC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
130 ≤ kW ≤ 560	Tier 4 Final	STD	0.19	0.40	N/A	3.5	0.02	N/A	N/A	N/A
		CERT	0.02	0.06		0.01	0.02			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of September 2017.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

				Engine Mod	lei Summary F	Form	0	
Manufacturer: Engine category: EPA Engine Family:	John Deere Power S Nonroad Cl JJDXL06.8312	Systems	9/12/2013	7		AHach	ment: Pa	ge lof1 -004-0558 9 Emission Control
Mfr Family Name: Process Code:	350HCF New Submission				6	FI	DH: 11-R-	-004-0558
Process Code.	New Submission	3. kW@RPM	4. Fuel Rate: mm/stroke@peak kW	5. Fuel Rate: (kg/hr)@peak kW	6. Torque (Nm) @RPM	7. Fuel Rate: mm/stroke@peak	8. Fuel Rate:	9. Emission Control Device Per
1. Engine code	2. Engine Model	(SAE Gross)	(for diesel only)	(for diesels only)	(SEA Gross)	torque	(kW/hr)@peak torque	SAE J1930
6068HFG05A	6068	192@1800	143.5@1800	39,5@1800	A111	AILA	NIIN	EGR OC SCRC NH3OC DFI TC CAC ECM
6068HFG05B	6068	160@1800	119.4@1800	32.9@1800	IV/H	NIA	IVIA	EGR OC SCRC NH3OC DFI TC CAC ECM
6068HFG05C	6068	165@1500	145.4@1500	33,4@1500	1.1.1	11	A1	EGR OC SCRC NH3OC DFI TC CAC ECM
6068HFG05D	6068	160@1500	142.3@1500	32.6@1500	XIIA	11/1	NIM	EGR OC SCRC NH3OC DFI TC CAC ECM
6068HFG06A	6068	241@1800	180.4@1800	49.7@1800	IVIA	NIA	IV/H	EGR OC SCRC NH3OC DFI TC CAC ECM
6068HFG06B	6068	216@1800	159.8@1800	44@1800	11/1/2	11	Alin	EGR OC SCRC NH3OC DFI TC CAC ECM
6068HFG06C	6068	197@1500	176.6@1500	40.5@1500	NIA	1/1/1	1 1/14	EGR OC SCRC NH3OC DFI TC CAC ECM
6068HPRNT7	6068	248@1800	184.6@1800	50.8@1800	1 4/17	IVIA	IVIN	EGR OC SCRC NH3OC DFI TC CAC ECM
			1. T.					